Set Name Query ide by side		Hit Count	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ			
<u>L27</u>	load balanc\$ and 118	. 8	<u>L27</u>
L26	load balanc\$ and 115	8	L26
<u>L25</u>	load balanc\$ and 113	5	<u>L25</u>
<u>L24</u>	load balanc\$ and 110	2	<u>L24</u>
<u>L23</u>	load balanc\$ and 112	3	<u>L23</u>
<u>L22</u>	load balanc\$ and 11	117	<u>L22</u>
<u>L21</u>	L19 same bill\$	0	<u>L21</u>
<u>L20</u>	L19 same payment	0	<u>L20</u>
<u>L19</u>	control\$ near5 access\$ near5 content near4 server near5 information	. 6	<u>L19</u>
<u>L18</u>	115 and 111	24	<u>L18</u>
<u>L17</u>	115 and 11	5	<u>L17</u>
<u>L16</u>	access with content with server with bill\$ information	0	<u>L16</u>
<u>L15</u>	access same content same server same bill\$ information	24	<u>L15</u>
<u>L14</u>	access with content with server with payment information	1	<u>L14</u>
<u>L13</u>	access same content same server same payment information	17	<u>L13</u>
<u>L12</u>	L11 and 19	11	<u>L12</u>
<u>L11</u>	content same stor\$ same server	5417	<u>L11</u>
<u>L10</u>	L9 and 11	4	<u>L10</u>
<u>L9</u>	least frequently used	293	<u>L9</u>
<u>L8</u>	content same stor\$ same server same least frequently used	0	<u>L8</u>
<u>L7</u>	L6 and 15	0	<u>L7</u>
<u>L6</u>	11 and service region	8	<u>L6</u>
<u>L5</u>	11 and edge server	11	<u>L5</u>
<u>L4</u>	edge server and service region	0	<u>L4</u>
<u>L3</u>	edge server same service region	0	<u>L3</u>
T	and service regress	-	
<u>L1</u>	deliver\$ with content with network	816	<u>L1</u>

END OF SEARCH HISTORY